

*INDEX MAPS.*

**T. 3 N, R. C E. 2<sup>nd</sup> Mer.**

|     | 354-356 | 354-356 | 354-356 | 355-356 | 355     | 355    |
|-----|---------|---------|---------|---------|---------|--------|
| 358 | 6 378   | 5 381   | 4 381   | 3 380   | 2 380   | 1 353  |
|     | 377     | 378     | 378     | 379     | 379     | 379    |
| 358 | 7 377   | 8 377   | 9 376   | 10 376  | 11 376  | 12 353 |
|     | 373     | 374     | 374     | 374     | 375     | 375    |
| 358 | 18 373  | 17 372  | 16 372  | 15 372  | 14 371  | 13 353 |
|     | 369     | 369     | 370     | 370     | 370     | 371    |
| 357 | 19 369  | 20 368  | 21 368  | 22 368  | 23 367  | 24 352 |
|     | 365     | 365     | 366     | 366     | 367     | 367    |
| 357 | 30 364  | 29 364  | 28 363  | 27 362  | 26 360  | 25 352 |
|     | 363     | 364     | 362     | 361     | 360     | 359    |
| 357 | 31 363  | 32 362  | 33 361  | 34 360  | 35 359  | 36 351 |
|     | 349-351 | 349-351 | 349-351 | 349-350 | 349-350 | 350    |

**T. 4 N, R. C E. 2<sup>nd</sup> Mer.**

|     | 390-392 | 390-392 | 390-392 | 390-391 | 391     | 391    |
|-----|---------|---------|---------|---------|---------|--------|
| 394 | 6 413   | 5 417   | 4 416   | 3 416   | 2 416   | 1 389  |
|     | 413     | 414     | 414     | 415     | 415     | 415    |
| 394 | 7 413   | 8 412   | 9 412   | 10 411  | 11 411  | 12 389 |
|     | 409     | 409     | 409     | 410     | 410     | 411    |
| 393 | 18 408  | 17 408  | 16 408  | 15 407  | 14 407  | 13 388 |
|     | 405     | 405     | 405     | 406     | 406     | 407    |
| 393 | 19 404  | 20 404  | 21 404  | 22 403  | 23 403  | 24 388 |
|     | 401     | 401     | 401     | 402     | 402     | 403    |
| 393 | 30 400  | 29 399  | 28 398  | 27 397  | 26 396  | 25 388 |
|     | 400     | 399     | 398     | 397     | 396     | 395    |
| 392 | 31 399  | 32 398  | 33 396  | 34 395  | 35 395  | 36 387 |
|     | 385-387 | 385-387 | 385-386 | 385-386 | 385-386 | 386    |

( The figures on the lines refer to the page.

Township N.<sup>o</sup> 3 North, Range N.<sup>o</sup> 6 East L. Mer., Indiana.

Township Lines.

South Boundary.

Random Lines.

East on the S. Boundary of Sec. 31

40.00 set temp. of sec. port

49.00 a Brook 10 Ws. wide course N

80.00 set a temp. port for cor. of sec. 31 & 32

(Description of land &c omitted)

---

East on the S. Boundary of Sec. 32

17.00 a Brook 20 Ws. wide course NW

52.25 a Id. 10 s s s NW

80.00 set a temp. port for cor. of sec. 32 & 33

Land very thin & broken, timbered Oak & Hickory  
Underbrush Dogwood

---

East on the S. Boundary of Sec. 33

12.50 a Brook 10 Ws. wide course NW

40.00 set temp. of sec. port

71.50 a Brook 15 Ws. wide course NW

80.00 set a temp. port for cor. of sec. 33 & 34

Land good for farming, timbered Beech, Oak,  
& Hickory

---

East on the S. Boundary of Sec. 34

40.00 set temp. of sec. port

60.30 a Road leading N & S

80.00 set a temp. port for cor. of sec. 34 & 35

Land the same quality as last noted

---

East on the S. Boundary of Sec. 35

24.50 a Brook 20 Ws. wide course NW

31.50 same, course N

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

40.00 set temp. of sec. post  
 41.50 a Brook comes S E  
 45.00 same, , N  
 80.00 set a temp. post for cor. of sec. 35 & 36  
 (Description of land &c omitted)

---

East on the S. Boundary of Sec. 36  
 31.00 a Brook 10 ft. wide comes N W  
 40.00 set temp. of sec. post  
 64.50 a Brook 10 ft. wide comes N  
 69.50 Intersect E. Boundary of Lot. N. of Town. comes  
 Land &c the same as last noted.  
 August 26. 1806

---

## (Corrected Line).

West on the S. Boundary of Sec. 36  
 40.00 set of sec. post from which  
 a Beech 20 in. dia bears N 89° E 35 ft. dist 8  
 a Do 4 s s s N 89° W 13 s s  
 80.00 set post cor. of sec. 35 & 36 from which  
 a Beech 24 in. dia bears N 52° W 12 ft. dist 8  
 a Do 24 s s s N 52° E 8 s s

---

West on the S. Boundary of Sec. 35  
 40.00 set of sec. post from which  
 a Beech 40 in. dia bears N 75° W 21 ft. dist 8  
 a Sugar 12 s s s N 75° E 10 s s  
 80.00 set post cor. of sec. 34 & 35 from which  
 a W. Oak 10 in. dia bears N 86° E 9 ft. dist 8  
 a Beech 10 s s s N 46° W 3 s s

---

West on the S. Boundary of Sec. 34  
 40.00 set of sec. post from which

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

- a Chestnut 40 in. dia. bears N 44° W 44 $\frac{1}{2}$  M. dist. 8  
 a Dogwood 5 " " " S 44° E 36 $\frac{1}{2}$  " "  
 80.00 set post cor. of sec. 33d 34 from which  
 a Beech 10 in. dia. bears N 45° E 36 M. dist. 8  
 a Sugar 6 " " " S 73° W 31 " "
- 

West on the S. Boundary of Sec. 33

- 40.00 set q.s.e. post from which  
 a Beech 24 in. dia. bears N 49° W 25 M. dist. 8  
 a W. Oak 12 " " " N 53° E 27 $\frac{1}{2}$  " "  
 80.00 set post cor. of sec. 32d 33 from which  
 a Beech 10 in. dia. bears West 10 M. dist. 8  
 a Dogwood 5 " " " N 70° E 15 " "
- 

West on the S. Boundary of Sec. 32

- 40.00 set q.s.e. post from which  
 a B. Oak 5 in. dia. bears S 60° E 6 M. dist. 8  
 a Chestnut 10 " " " S 84° W 19 " "  
 80.00 set post cor. of sec. 31d 32 from which  
 a Dogwood 5 in. dia. bears N 13° E 26 M. dist. 8  
 a Poplar 20 " " " N 83° W 22 " "
- 

West on the S. Boundary of Sec. 31

- 40.00 a W. Oak 20 in. dia. stands for q.s.e. cor.  
 69.50 to Township corner

Surveyed in 1806 by Arthur Henrie  
 Dep. Surveyor.

---

East Boundary. Var. 5° 50' E.

North on the E. Boundary of Sec. 36

- 4.00 a Brook 4 M. wide course N E. kept down it  
 11.00 leave Brook running N E  
 23.50 a B. Oak 18 in. dia.

T. 3 N., R. 6 E. I. Mer. Ind.<sup>a</sup>

40.00 set q.s.e.-post from which  
 a W. Oak 36 in. dia bears S 40° W 8 deg. dist 8  
 a Gum 7 " " " N 61° E 26 " "  
 57.50 a Poplar 40 " "  
 64.00 a Brook 15 ft. wide course N E  
 80.00 set post cor. of sec. 25 & 36 from which  
 a Beech 24 in. dia bears S 52° E 16 deg. dist 18  
 alder 8 " " " N 53° W 25 " "  
 Pretty good Oak land

---

## North on the E. Boundary of Sec. 25

5.50 a W. Oak 36 in. dia.  
 40.00 set q.s.e.-post from which  
 a Poplar 6 in. dia bears S 70° E 13 deg. dist 18  
 a Beech 15 " " " N 10° E 16 " "  
 50.00 a Brook 6 ft. wide course N E  
 63.80 a Beech 16 in. dia.  
 80.00 set post cor. of sec. 24 & 35 from which  
 a Gum 16 in. dia bears S 9° W 17 deg. dist 8  
 a Beech 24 " " " N 71° E 34 " "  
 First mile Poor level Oak land, 2 1/2 miles  
 level poor land, timber Oak, Beech &c.

---

## North on the E. Boundary of Sec. 24

17.85 a R. Oak 24 in. dia.  
 35.00 a Beech 16 " "  
 40.00 set q.s.e.-post from which  
 a Beech 20 in. dia bears S 80° W 5 deg. dist 8  
 a Poplar 18 " " " N 75° E 29 " "  
 Generally good level land, Oak, Beech &c  
 57.00 a Brook 5 ft. wide course N E  
 61.00 a Beech 16 in. dia.  
 80.00 set post cor. of sec. 13 & 24 from which

T. 3 N., R. 6 E. L. Mer. Ind.<sup>a</sup>

a Hickory 14 in. dia. bears N 69° W 50 ft. dist. 8

a Beech 15 s    "    " 93° E 58 s    "

Good level land, timber Oak, Poplar &c.

August 21<sup>st</sup>. 1806

North on the E. Boundary of Sec. 13

17.50 a Brook 3 ft. wide course N E

33.80 a Beech 14 in. dia.

40.00 set q. sec. post from which

a Poplar 14 in. dia. bears N 59° W 6 ft. dist. 8

a Do 16 s    "    " South 16 s    "

53.00 a Creek 30 ft. wide course N W

54.25 an Ash 30 in. dia.

80.00 set post cor. of sec. 12 & 13 from which

an Ironwood 6 in. dia. bears N 61° W 6 ft. dist. 8

a Beech 18 s    "    " N 71° E 33 s    "

First half mile pretty good Oak land, 2½ miles  
wet land, timber Beech, Elm &c.

North on the E. Boundary of Sec. 12

34.00 an Elm 18 in. dia.

40.00 set q. sec. post from which

a Maple 12 in. dia. bears N 70° W 12 ft. dist. 8

a Do 6 s    "    " 98° E 30 s    "

55.40 a Do 12 s    "

80.00 set post cor. of sec. 12 & 13 from which

a W. Oak 36 in. dia. bears S 10° E 4 ft. dist. 8

a Gum 12 s    "    " N 10° W 40 s    "

Maple swamp the whole way

North on the E. Boundary of Sec. 1

10.00 to a large branch of White River - 1 ft. wide  
running N 9° E

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

40.00 set q.scc. post from which  
an Elm 12 in. dia. bears N 76° W 12 m. - dist. 8  
a W. Oak 12 " " " N 84° E 20 " "  
Maple Swamp  
50.00 leave Swamp  
59.00 a Brook 3 ft. wide course NW  
60.00 a W. Oak 16 in. dia.  
80.00 set post cor. of Sec. 34 N, R. 6 E. from which  
a Beech 8 in. dia. bears N 42° W 11 m. - dist. 8  
a Ss 12 " " " E 3° W 59 " "  
A beautiful flat of Beech & Sugar land  
Surveyed in 1806 by Alexander Holmes  
Dep. Surveyor.

North Boundary. Random Line  
East on the S. Boundary of Sec. 31, T. 4 N, R. 6 E  
30.00 Pond leading N & S  
40.00 set temp. q.scc. post  
45.00 same Pond course N & S. both ends of the pond  
towards the N  
65.00 a Brook 150 ft. wide course N  
80.00 set a temp. post for cor. of sec. 31 & 32  
This mile over level Beech timbered land

East on the S. Boundary of Sec. 32, T. 4 N, R. 6 E  
40.00 set temp. q.scc. post  
80.00 set a temp. post for cor. of sec. 32 & 33  
Land of the same quality as last noted

East on the S. Boundary of Sec. 33, T. 4 N, R. 6 E  
40.00 set temp. q.scc. post  
72.50 a Brook 150 ft. wide course SW  
80.00 set a temp. post for cor. of sec. 33 & 34

T. 3 N., R. 6 E. L. Mer. Ind.

Land of the same quality as last noted

East on the S. Boundary of Sec. 34, T. 4 N., R. 6 E.

4.00 a Brook 150 ft. wide course N 97 W

13.50 same " course S

40.00 set temp. q. sec. post

80.00 set a temp. post for cor. of sec. 34 & 35

Land the same as last noted

East on the S. Boundary of Sec. 33, T. 4 N., R. 6 E.

40.00 set temp. q. sec. post

80.00 set a temp. post for cor. of sec. 35 & 36

Land the same as last noted

East on the S. Boundary of Sec. 30, T. 4 N., R. 6 E.

40.00 set temp. q. sec. post

75.50 Intersect E. Boundary 30 ft. S. of Towns. corner  
good level Beech timbered land

### Connected Line

West on the S. Boundary of Sec. 30, T. 4 N., R. 6 E.

40.00 set q. sec. post from which

a Beech 20 in. dia. bears S 2 E 8 ft. dist. 8

a Do 10 " " N 2 W 16 " "

80.00 set post cor. of sec. 35 & 36 from which

a Sugar 10 in. dia. bears N 41 E 24 ft. dist. 8

a Do 7 " " N 44 W 33 " "

West on the S. Boundary of Sec. 35, T. 4 N., R. 6 E.

40.00 set q. sec. post from which

a Beech 10 in. dia. bears S 74 E 015 ft. dist. 8

a W. Oak 20 " " N 8 W 16 " "

80.00 set post cor. of sec. 34 & 35 from which

T. 3 N, R. 6 E, S. Mer., Ind.<sup>a</sup>

a W. Oak 10 in. dia. bears N 45° E 10 ft. dist. 8  
 a Beech 15,    s    S 83° W 22    s   

## West on the S. Boundary of Sec. 34, T. 4 N, R. 6 E

40.00 set q.s.e. post from which  
 a Beech 20 in. dia. bears N 74° E 22 ft. dist. 8  
 a Do 15,    s    N 78° W 16 ft. >  
 80.00 set post cor. of sect. 33 & 34 from which  
 a Beech 40 in. dia. bears S 74° E 17 ft. dist. 8  
 a Sugar 8,    s    N 81° W 18,    s   

## West on the S. Boundary of Sec. 33, T. 4 N, R. 6 E

40.00 set q.s.e. post from which  
 a W. Oak 5 in. dia. bears N 29° E 3½ ft. dist. 8  
 an Elm 10,    s    S 40° W 25½ ft. >  
 80.00 set post cor. of sect. 32 & 33 from which  
 a Beech 10 in. dia. bears S 30° W 30 ft. dist. 8  
 a Do 10,    s    N 29° W 35,    s   

## West on the S. Boundary of Sec. 32, T. 4 N, R. 6 E

40.00 set q.s.e. post from which  
 a Beech 20 in. dia. bears S 33° E 21 ft. dist. 8  
 a Do 8,    s    N 33° W 13,    s     
 80.00 set post cor. of sect. 31 & 32 from which  
 a Beech 20 in. dia. bears S 46° E 18 ft. dist. 8  
 a Do 10,    s    N 23° W 15,    s   

## West on the S. Boundary of Sec. 31, T. 4 N, R. 6 E

40.00 set q.s.e. post from which  
 a Sweet Gum 29 in. dia. bears N 35° E 14 ft. dist. 8  
 a Maple 20,    s    S 20° E 17,    s     
 75.50 to Township owner. October 10. 1806

357

T. 3 N., R. 6 E. I. Mer. Ind.<sup>a</sup>

West Boundary.

North on the E. Boundary of Sec. 36, T. 3 N., R. 6 E.  
40.00 set of sec. port from which  
a W. Oak 20 in. dia bears S 77° E 40 m. dist. 8  
a Do 10 " " " S 17° W 6 " "  
40.70 a Do 20 " "  
50.00 a Brook 15 lbs. wide course N 9° W  
64.50 a Do 15 " " " N 9° W  
80.00 set port cor. of sec. 25 & 36 from which  
a Hickory 8 in. dia bears N 32° W 6 lbs. dist. 8  
a W. Oak 5 " " " S 22° E 13 " "  
Thin B. Oak timbered land

---

North on the E. Boundary of Sec. 25, T. 3 N., R. 6 E

3.25 a W. Oak 20 in. dia.  
38.75 a B. Oak 25 " "  
40.00 set of sec. port from which  
a Beech 8 in. dia bears N 12° W 27 lbs. dist. 8  
a W. Oak 10 " " " S 43° E 26 " "  
80.00 set port cor. of sec. 24 & 25 from which  
a W. Oak 10 in. dia bears N 17° W 27 1/2 lbs. dist. 8  
a Do 20 " " " S 54° W 23 " "  
Thin Oak & Hickory timbered land, Underbrush  
Dogwood & Spice

---

North on the E. Boundary of Sec. 24, T. 3 N., R. 6 E

27.00 a Brook 20 lbs. wide course E  
40.00 set of sec. port from which  
a W. Oak 20 in. dia bears N 20° W 34 lbs. dist. 8  
a Beech 20 " " " S 44° E 22 " "  
70.00 a Brook 12 lbs. wide course N 9° W  
77.50 same " course N  
80.00 set port cor. of sec. 13 & 24 from which

T. 3 N., R. 6 E. I. Mer. Ind.<sup>a</sup>

a Hickory 10 in. dia. bears S79W18 M. dist. 8

a W. Ash 20 " " " N47W34 " "

This mile over good farming land

---

North on the E. Boundary of Sec. 13, T. 3 N., R. 6 E.

5.50 same Brook course NW

19.00 a W. Oak 20 in. dia.

24.00 same Brook course E

40.00 set q. sec. post from which

a W. Oak 12 in. dia. bears N14E013 M. dist. 8

a Dogwood 6 " " " S449W15 " "

62.00 a Spring runs off the wide course E

80.00 set post cor. of sec. 12 & 13 from which

a Beech 20 in. dia. bears S79E011 M. dist. 8

a No 10 " " " N19W22 " "

Land the same as last noted

---

North on the E. Boundary of Sec. 12, T. 3 N., R. 6 E.

16.50 a Brook 10 M. wide course E

40.00 set q. sec. post from which

a Beech 20 in. dia. bears N60E013 M. dist. 8

a Gum 24 " " " N83W23 " "

42.45 a Beech 20 "

80.00 set post cor. of sec. 10 & 12 from which

a Beech 12 in. dia. bears S35E014 M. dist. 8

a Hickory 10 " " " N48W8 " "

Land the same as last noted

---

North on the E. Boundary of Sec. 1, T. 3 N., R. 6 E.

12.90 a W. Oak 40 in. dia.

40.00 set q. sec. post from which

a Hickory 10 in. dia. bears S9E032 M. dist. 8

a Maple 12 " " " S76E22 " "

359

J.B.N., R.C.O.L. Mer. Ind.<sup>a</sup>

80.00 set post cor. of S. 3d 4 N, R. 5d 6 E, from which  
an Elm 16 in. dia bears S 28 E 19 M. dist. 8  
a Maple 10, " , N 86 W 23 " "  
This mile over flat land, Oaks & Hickory;  
Undergrowth Oak & Spice  
Surveyed in 1806 by Arthur Henrie  
Dep. Surveyor.

---

### Subdivision.

On Tuesday the 28<sup>th</sup> day of October 1806  
began the survey of this Township  
North between Sec. 35 & 36, T 3 N, R 6 E

35.00 Bottom to the mile post  
40.00 set q.s.e. post from which  
a Beech 13 in. dia bears S 53 W 23 M. dist. 8  
a Do 15 " " " S 11 E 53 " "  
41.80 a Branch 8 M. wide course N 20 W  
45.46 a B. Oak 18 in. dia.  
67.25 a Branch 12 M. wide course N 20 E  
80.00 set post cor. of sec. 25, 26, 35 & 36 from which  
a Beech 15 in. dia bears S 55 W 16 M. dist. 8  
a Do 12 " " " N 54 W 8 " "  
Good land, Beech, Poplar & Oak

---

East or Random between Sec. 35 & 36  
15.00 a Branch 10 M. wide course N 25 W  
40.00 set temp. q.s.e. post  
82.00 Intersect E. Boundary 65 M. N. of post  
Level land, Beech & Poplar some Oak

---

West Connected between Sec. 25 & 36  
41.00 set q.s.e. post at a ver. dist. from which  
a Beech 10 in. dia bears N 62 W 12 M. dist. 8

J. B. N., R. C. O. T. Mer. Ind.

a Beech 8 in. dia bears East 12 Ms. dist.  
82.00 to sec. cor.

North between Sect. 34 & 35

26.00 a Poplar 16 in. dia.

40.00 set q.s.e. post from which

a W. Oak 20 in. dia bears N 52° W 24 Ms. dist. 8  
an Oak 18 s s s S 13° W 24 s s

48.00 a Hickory 12 s s

80.00 set part cor. of Sect. 26, 27, 34 & 35 from which

a W. Oak 14 in. dia bears S 54° W 18 Ms. dist. 8  
Hickory 10 s s s S 35° E 18 s s

Low ridges, good Plough land, Oak, Hickory,  
Beech & Poplar

East on Random between Sect. 26 & 35

40.00 set temp. of sec. post

46.00 a Branch 75 Ms. wide course N 30° W

80.92 Entered N.W. line 35 Ms. N off post -

level good land, generally Beech

West bounded between Sect. 26 & 35

40.38. set q.s.e. post at aver. dist. from which  
a Beech 12 in. dia bears S 5° E 11 Ms. dist. 8  
a Rd 8 s s s N 62° W 23 s s  
----- to sec. cor.

North between Sect. 35 & 26

13.00 a Branch 6 Ms. wide course W

32.12 a Beech 24 in. dia.

35.50 a Branch 10 Ms. wide course W

40.00 set q.s.e. post from which

a Beech 13 in. dia bears S 13° E 24 Ms. dist. 8

Fronted

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

a Dogwood 8 in. dia. bears N 73° W 8 Mr. dist.

68.12 a Beech 24 " "

70.00 a Branch 3 ft. wide course NW

80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
a Beech 10 in. dia. bears S 18° E 17 Mr. dist. 8

a Do 10 " " S 30° W 13 " "

Level, generally Beech, some Poplar & Oak

North between Sec. 3 & 4

1.59 a W. Oak 16 in. dia.

40.00 set q. sec. post from which

a Beech 10 in. dia. bears N 18° E 7 Mr. dist. 8

a B. Oak 18 " " S 3 E 19 " "

55.00 a Do 18

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Hickory 18 in. dia. bears N 52° E 15 Mr. dist. 8

a Poplar 14 " " S 29° E 16 " "

Low ridges, good Plough land, Oak, Beech & Poplar

East on Random between Sec. 2 & 3

0.78 a Branch 3 ft. wide course N

40.00 set temp. q. sec. post

60.00 a Branch 15 ft. wide course N 25° E

78.00 a Do 8 " " " N

80.78 Intersect N & S line 120 Mr. N. off post -

Low ridges, Oak, Hickory & Beech

West Connected between Sec. 2 & 3

40.39 set q. sec. post at aver. dist. from which

a W. Oak 8 in. dia. bears S 60° W 11 Mr. dist. 8

a Maple 10 " " " N 73° E 38 " "

80.78 Sec. cor. Wednesday October 29. 1806

T. 3 N., R. 6 E. I<sup>o</sup>. Mer. Ind.<sup>a</sup>

North between Sect. 20 & 27

- 14.00 a Branch 12 ft. wide course N 40 E  
 17.90 a R. Oak 16 in. dia.  
 38.00 a Branch 10 ft. wide course N 45 E  
 40.00 set q. sec. post from which  
     a Sugar 21 in. dia. has S 45° W 30 ft. dist. 8  
     a Beech 8     "     "     " North 35     "  
 50.00 a Branch 12 ft. wide course N 20 E  
 78.00 edge of a Swamp  
 80.00 set post cor. of Sect. 22, 23, 26 & 27 from which  
     an Elm 22 in. dia. has S 48° W 52 ft. dist. 8  
     a Maple 10     "     " 93° E 36     "  
 Level, Oak, Beech & Poplar, some Maple
- 

North between Sect. 32 & 33

- 14.50 a Branch 10 ft. wide course N 60 E  
 30.00 a Do 12     "     "     " N 40 E  
 40.00 set q. sec. post from which  
     an Ash 12 in. dia. has N 56° W 10 ft. dist. 8  
     a W. Oak 12     "     " 87° E 29     "  
 45.73 a R. Oak 16     "  
 80.00 set post cor. of Sect. 28, 29, 32 & 33 from which  
     a W. Oak 14 in. dia. has N 11° W 4 ft. dist. 8  
     an Ash 10     "     " 86° E 17     "  
 Low ridges, good Plough land, Oak, Ash & Poplar
- 

East on Random between Sect. 28 & 33

- 17.50 a Branch 12 ft. wide course N 40 E  
 40.00 set temp. q. sec. post  
 62.50 a Branch 10 ft. wide course N 50 E  
 65.50 a Do 12     "     " N 40 E  
 81.00 Intersect N & S line 30 ft. N. of post -  
 Low ridges, good Plough land, Oak, Beech & Poplar

T. 3 N., R. 6 E. I. Mer. Ind.

West bounded between Sec. 28 & 33  
 40.50 set q.s.e. post at aver. dist. from which  
     a W. Oak 12 in. dia. bears N 78 E 24 Ms. dist. 8  
     a Do 12 "     "     S 50 W 24 "     "  
 81.00 to sec. cor.

North between Sec. 27 & 28  
 30.06 a Poplar 30 in. dia.  
 40.00 set q.s.e. post from which  
     a Hickory 8 in. dia. bears N 80 W 7 Ms. dist. 8  
     a Do 7 "     "     S 35 E 13 "     "  
 80.00 set post cor. of Sec. 21, 22, 27 & 28 from which  
     a Hickory 13 in. dia. bears S 30 W 14 Ms. dist. 8  
     a Do 10 "     "     N 53 E 18 "     "  
 Low ridges, good Plough land, Oak, Beech & Poplar

North between Sec. 31 & 32  
 30.38 a W. Oak 22 in. dia.  
 40.00 set q.s.e. post from which  
     a W. Oak 14 in. dia. bears S 51 E 13 Ms. dist. 8  
     a Chestn. Oak 15 "     "     N 20 W 7 "     "  
 54.75 a Branch 6 Ms. wide comes N 40 E  
 70.09 a W. Oak 22 in. dia.  
 80.00 set post cor. of Sec. 29, 30, 31 & 32 from which  
     a W. Oak 16 in. dia. bears S 15 E 14 Ms. dist. 8  
     a B. Gum 22 "     "     N 67 E 18 "     "  
 Hilly thin land, Oak timber & some Branch  
 & green Briers.

West between Sec. 30 & 31  
 11.00 a W. Oak 20 in. dia.  
 40.00 set q.s.e. post from which  
     a W. Oak 30 in. dia. bears S 18 E 10 Ms. dist. 8

364

73 N., R. C. E. I<sup>o</sup>. Mer. Ind.<sup>a</sup>

- a B. Oak 7 in. dia. inc. N 1° W 25 ft. - dist. 8  
63.78 a W. Oak 24 " " " " " " " " " " " "  
70.00 Intersect N. Boundary 37 ft. N. of port -  
set post at intersection cor. of sec. 30 & 31 from which  
a W. Oak 27 in. dia. inc. N 55° E 13 ft. - dist. 8,  
a Hickory 5 " " " " " " " " " " " "  
Low ridges, Oaks & Hickory
- 

- East on Random between Sec. 29 & 32  
40.00 set temp. g. sec. port  
67.00 a Branch 25 ft. wide comes N  
80.00 Intersect N. S. line at port -  
Low ridges, Oak, Beech & Poplar
- 

- West Parallel between Sec. 29 & 32  
40.00 set g. sec. port at aver. dist. from which  
a Beech 10 in. dia. inc. N 20° E 37 ft. - dist. 8  
a Do 8 " " " " " " " " " " " "  
80.00 to sec. cor.
- 

- North between Sec. 28 & 29  
9.56 a Poplar 14 in. dia.  
40.00 set g. sec. port from which  
a W. Oak 15 in. dia. inc. N 39° E 16 ft. - dist. 8  
a Gum 12 " " " " " " " " " " " "  
45.00 20.00 thence fallen timber & Brush & Briers  
80.00 set post cor. of Sec. 20, 21, 28 & 29 from which  
an Ash 8 in. dia. inc. N 77 1/2° E 24 ft. - dist. 8  
a Poplar 14 " " " " " " " " " " " "  
Level good Plough land, Oak, Beech & Poplar
- 

- North between Sec. 29 & 30  
6.75 a Branch 3 ft. wide comes N 40° E

T.3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.

16.50 a Poplar 38 in. dia.  
 37.00 a Branch 6 in. wide course N 30 E  
 40.00 set of sec. post from which  
     a Dogwood 6 in. dia. bears N 33 E 15 in. dist. 8  
     a B. Oak 30, , , \$37.77 11, >  
 80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
     a W. Oak 18 in. dia. bears N 60 E 36 in. dist. 8  
     a B. Oak 31, , , \$107.77, ,  
 Low ridges, good Plough land, Oaks, Beech,  
 Poplars Ash. Thursday Oct. 30. 1806

## West between Sec. 19 &amp; 30

26.38 a W. Oak 36 in. dia.  
 40.00 set of sec. post from which  
     a Poplar 28 in. dia. bears \$59.77 36 in. dist. 8  
     a Hickory 23, , , \$53 E 22, >  
 58.00 a Branch 8 in. wide course N  
 70.38 a B. Oak 24 in. dia.  
 72.00 Intersect W. Boundary 207 in. N. off post -  
     set post at intersection cor. of sec. 19 & 30 from which  
     a W. Oak 16 in. dia. bears N 36 E 11 in. dist. 8  
     a Dr 18, , , \$50 E 36, >  
 Low ridges, Oaks, Poplars & Beech

## East on Random between Sec. 20 &amp; 29

17.50 a Branch 8 in. wide course N  
 31.50 a Dr 10, , , , N  
 40.00 set temp. of sec. post  
 43.50 a Branch 6 in. wide course N  
 57.50 a Dr 30, , , , N  
 80.00 Intersect N & S. line at post -  
 Low ridges, Beech, Poplar, Oak & Ash

T. 3 N., R. 6 E. I. Ills. Ind.<sup>a</sup>

West blazed between Oct. 20 & 29

40.00 set g. sec. post at aver. dist. from which  
a Beech 7 in. dia. bears N 67° E 97 ft. g. dist. 8  
a Do 8 " " " 986 ft. E 14 " "

80.00 to sec. cor.

East on Random between Oct. 21 & 28

10.00 20.00 thence fallen timber

31.00 a Branch 10 in. wide comes N 40° E

40.00 set temp. g. sec. post

51.00 a Branch 6 in. wide comes N 30° E

72.00 a Do 45 " " " N

79.50 Intersect N. S. line 70 ft. N. of post -  
Level, Oak, Beech, Poplar & Ash

West Carried between Oct. 21 & 28

39.75 set g. sec. post at aver. dist. from which  
a Gum 12 in. dia. bears S 83° E 21 ft. dist. 8  
a Beech 10 " " " N 16° E 10 " "

79.50 to sec. cor.

East on Random between Oct. 22 & 27

40.00 set temp. g. sec. post

80.25 Intersect N. S. line 50 ft. N. of post - in the  
edge of a Swamp  
Land level, Oak & Beech

West Carried between Oct. 22 & 27

40.00 set g. sec. post at aver. dist. from which  
a W. Oak 14 in. dia. bears N 58° - 27 ft. dist. 8  
a Do 8 " " " S 59° E 23 " "  
----- to sec. cor. Saturday November 1. 1806

T. 3 N., R. 6 E. I. Mer. Ind.

West between Sect. 23 & 26

- 37.50 a Branch 75 ft. wide course N 30 E  
 40.44 set q. sec. post from which  
     a Beech 13 in. dia. hars \$380 7 ft. dist. 8  
     a Do 8     "     "     " 918 7 ft. "     "  
 59.50 a Branch 75 ft. wide course S 70 W  
 62.50 same     " course N 40 W  
 65.00 Swamp & Briers to the post -  
     Level good Ploughland to the swamps, generally  
     Beech, some Oak, Poplar & Ash

East on Random between Sect. 24 & 25

- 40.00 set temp. q. sec. post  
 41.75 a Branch 8 ft. wide course N  
 81.62 Intersects E. Boundary 205 ft. N. of post -  
     Level, Oak & Beech, good Plough land

West connected between Sect. 24 & 25

- 40.81 set q. sec. post at ave. dist. from which  
     a Beech 10 in. dia. hars N 11 E 36 ft. dist. 8  
     a Do 16     "     " 852 8 17     "     "  
 81.62 to sec. cor.

North between Sect. 23 & 24

- 23.14 a Poplar 14 in. dia.  
 40.00 set q. sec. post from which  
     a Cottonwood 7 in. dia. hars \$4380 7 ft. dist. 8  
     a Beech 12     "     " 934 7 ft. 26     "     "  
 62.00 a Branch 44 ft. wide course N 60 E  
 68.88 a Beech 16 in. dia.  
 80.00 set post cor. of Sect. 13, 14, 23 & 24 from which  
     a Poplar 10 in. dia. hars N 50 E 13 ft. dist. 8  
     a Do 10     "     " 147 7 ft. 24     "     ">

T. 3 N., R. 6 E. D. M. Ind.<sup>a</sup>

Level, Oak, Beech & Poplar, good Plough land

---

North between Sec. 22 & 23

12.00 through Swamp

40.00 set of sec. post from which  
a Maple 12 in. dia bears N 58 E 50°. dist. 8  
a Do 10 " " " N 9 W 19 " "

59.38 a Gum 24 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
a Beech 22 in. dia bears N 82 W 27°. dist. 8  
a Gum 16 " " " N 66 E 11 " "

Bottom, Oak, Gum, Beech, Poplar & Maple  
Ploughed Meadow land

---

North between Sec. 21 & 22

40.00 set of sec. post from which  
a Gum 10 in. dia bears N 7 E 26°. dist. 8  
a Do 7 " " " N 10 W 26 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which  
a W. Oak 18 in. dia bears S 34 W 23°. dist. 8  
a Beech 7 " " " N 26 E 12 " "

Level, Oak, Beech & Poplar, good Plough  
land fine for Wheat

---

North between Sec. 20 & 21

20.15 a W. Oak 18 in. dia.

40.00 set of sec. post from which  
a W. Oak 22 in. dia bears S 57 E 13°. dist. 8  
a Hickory 10 " " " N 24 W 19 " "

67.00 a W. Oak 18 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
a R. Oak 20 in. dia bears S 42 W 22°. dist. 8  
an Ash 12 " " " N 21 E 24 " "

T. 3 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Land, Oak, Beech, Ash & Poplar

North between Sec. 19 & 20

40.00 set g.s.e. port from which  
a W. Oak 20 in. dia bears N 68° E 11 lbs. dist. 8

a Beech 8 " " " S 62° W 23 " "

47.75 a W. Oak 30 " "

57.12 a Branch 8 lbs. wide course N 30° E

80.00 set port cor. of sec. 17, 18, 19 & 20 from which  
a Beech 8 in. dia bears S 30° E 14 lbs. dist. 8  
an Ash 10 " " " N 23½° W 37 " "

Low ridges, Oak, Beech & Poplar. Good Plough  
land for Wheat or Corn

Sunday, November 2. 1806

West between Sec. 18 & 19

17.00 a B. Oak 31 in. dia.

40.00 set g.s.e. port on a Beech 16 in. dia. from which  
a W. Oak 33 in. dia bears N 24° W 39 lbs. dist.

70.50 a Branch 25 lbs. wide course N

70.75 Intersect W. Boundary 379 lbs. N of port -  
set port at intersection cor. of Sec. 18 & 19 from which  
a Beech 10 in. dia bears S 63° E 40 lbs. dist. 8  
a Do 18 " " " N 40° E 50 " "

Low ridges, Beech, Oak, Poplar & Ash

East on Random between Sec. 17 & 20

4.50 a Branch 6 lbs. wide course N

9.50 a Do 7 " " " N

40.00 set temp. g.s.e. port

68.50 a Branch 25 lbs. wide course N

80.75 Intersect N. S. line 50 lbs. N. of port -

Land good land, Oak, Beech, Hickory & Poplar

T. 3 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

West Carried between Sec. 17 & 20  
 40.37<sup>1/2</sup> set q.sec. post at aver. dist. from which  
     a Beech 10 in. dia. bears N 33° E 4 Ms. dist. 8,  
     a Hickory 14 "     "     8442 E 11 "     "  
 80.75 to sec. cor.

---

East on Random between Sec. 16 & 21  
 37.50 a Branch 45 Mr. wide comes N  
 40.00 set temp. q.sec. post  
 80.00 Intersect N & S. line at post -  
     Sycamore, Oak, Beech, Ash & Poplar

---

West blazed between Sec. 16 & 21  
 40.00 set q.sec. post at aver. dist. in a trading path from  
     which a Sugar 30 in. dia. bears N 12° W 28 Ms. dist. 8  
     a Beech 24 "     "     82° W 28 "     "  
 80.00 to sec. cor.

---

East on Random between Sec. 15 & 22  
 23.00 a Branch 10 Ms. wide comes N 30° E  
 40.00 set temp. q.sec. post  
 81.50 Intersect N & S. line 200 Mr. N. of post -  
     Sycamore, Brush & Briers, Beech, Oak & Poplar

---

West Carried between Sec. 15 & 22  
 40.75 set q.sec. post at aver. dist. from which  
     a Hickory 19 in. dia. bears S 63° E 22 Ms. dist. 8  
     a Poplar 16 "     "     82° 5' W 13 "     "  
 81.50 to sec. cor.

---

East on Random between Sec. 14 & 23  
 7.00 a Branch 75 Mr. wide comes N 30° E  
 15.00 same "     comes S 70° E

T. 3 N., R. 6 E. 2<sup>o</sup> Mer. Ind.<sup>a</sup>

- 19.50 same Branch course N  
 40.00 set temp. of sec. post  
 80.50 Intersect N & S. line 300 ft. N. of post  
 Level, part bottom, Oak, Poplar, Gum & Beech

West Connected between Sec. 14 & 23

- 40.25 set of sec. post at aver. dist. from which  
 an Elm 30 in. dia lies N 31° E 5 ft. dist. 8  
 a Beech 12 " " " 524' W 7 " "  
 80.50 to sec. cor.

East or Random between Sec. 13 & 24

- 14.12 a Branch 3 ft. wide course N 40° E  
 24.00 a Av 10 " " " N 45° E  
 40.00 set temp. of sec. post  
 81.50 Intersect E. Boundary 200 ft. N. of post -  
 Level, Brush & Briers, Beech, Oak & Poplar

West Connected between Sec. 13 & 24

- 40.75 set of sec. post at aver. dist. from which  
 a Poplar 12 in. dia lies 578' E 32 ft. dist. 8  
 a Av 13 " " " N 71° W 13 " "  
 81.50 to sec. cor.

North between Sec. 13 & 14

- 5.95 a Beech 18 in. dia.  
 40.00 set of sec. post from which  
 a W. Oak 33 in. dia lies N 42° E 40 ft. dist. 8  
 Hickory 10 " " " N 81° W 36 " "  
 75.00 a Branch 6 ft. wide course E  
 80.00 set post on. of Sec. 11, 12, 13 & 14 from which  
 a W. Oak 25 in. dia lies S 30° E 25 ft. dist. 8  
 a Beech 16 " " " 578' W 91 " "

T. 3 N., R. 6 E. 2<sup>o</sup> Mer. Ind.

Level, Beech, Oak, Hickory & Poplar

North between Sect. 14 & 15

- 6.08 a Beech 22 in. dia.  
 40.00 set of sec. part from which  
     a R. Oak 30 in. dia bears S429W100s. dist. 8  
     a Beech 8    "    "    N29E26    "  
 49.00 a Do 20    "  
 80.00 set part in fallen timber on. of Sect. 10, 11, 14 & 15 from  
     which a Gum 30 in. dia bears S38E120s. dist. 8  
     a Beech 14    "    "    S661/2E67    "  
 Level, Beech, Oak & Poplar

North between Sect. 15 & 16

- 4.14 a Beech 20 in. dia.  
 40.00 set of sec. part from which  
     a W. Oak 18 in. dia bears S579W70s. dist. 8  
     an Ash 7    "    "    N61E9    "  
 53.00 a B. Oak 22    "  
 55.25 a Branch 60s. wide course E  
 80.00 set part on. of Sect. 9, 10, 15 & 16 from which  
     a W. Oak 20 in. dia bears S639W350s. dist. 8  
     a Do 20    "    "    N66E48    "  
 Level, Oak, Poplar & Beech,  
 Monday, November 3, 1806

North between Sect. 16 & 17

- 13.50 a B. Oak 22 in. dia.  
 39.50 a Branch 30 0s. wide course N440W  
 40.00 set of sec. part from which  
     a Beech 6 in. dia bears N129W110s. dist. 8  
     a Do 7    "    "    S70E22    "  
 68.00 a Do 22    "

T. 3 N., R. 6 E. I<sup>o</sup> Mer. Ind.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
a Hickory 14 in. dia. bears N 66° E 11 ft. dist. 8  
a R. Oak 20 " " " N 85° W 29 " "  
Level, part bottom, Bees, Hickory, Oak &  
Poplar, good Plough land

North between Sec. 17 & 18

9.02 a Branch 6 Ms. wide course E  
15.20 a W. Oak 10 in. dia.  
38.50 a Branch 6 Ms. wide course N 50° E  
40.00 set q.s.e. post from which  
a Gum 12 in. dia. bears N 71° E 19 Ms. dist. 8  
a Beech 33 " " " N 89° W 53 " "  
48.00 a Branch 12 Ms. wide course N 20° E  
80.00 set post cor. of sec. 7, 8, 17 & 18 from which  
a Maple 12 in. dia. bears N 50° W 24 Ms. dist. 8  
a Hickory 8 " " " S 27° E 11 " "  
Level good Plough land, Bees, Poplar, Oak  
& Hickory

West between Sec. 7 & 18

24.50 a Branch 15 Ms. wide course N  
40.00 set q.s.e. post from which  
a Gum 12 in. dia. bears N 70° W 19 Ms. dist. 8  
a Beech 6 " " " N 81° W 20 " "  
The q.s.e. post stands in a drain running N  
72.00 Intersect W. Boundary 524 Ms. N. of post —  
set post at intersection cor. of sec. 7 & 18 from which  
a Hickory 12 in. dia. bears S 17° E 09 Ms. dist. 8  
a Do 13 " " " N 84° E 27 " "  
Level good land, Bees, Oak, Hickory & Poplar,  
some Dogwood

T. 3 N., R. 6 E., I.<sup>o</sup> Mer. Ind.

East on Random between Sec. 8 & 17

38.00 a Branch 20 ft. wide course N 30° W

40.00 set temp. q. sec. post

43.50 a Branch 50 ft. wide course N

53.00 a Dr 30 s s N 50° W

57.40 a Dr 30 s s N

80.00 intersect N. S. line at post

Level, Beech, Poplar, Oak, Maple & Gum

West blazed between Sec. 8 & 17

40.00 set q. sec. post at aver. dist. from which

a W. Oak 21 in. dia. bears S 55° W 22 ft. dist. &

a Beech 14 s s N 42° E 23 s s

80.00 to sec. cor.

East on Random between Sec. 9 & 16

28.00 a Branch 8 ft. wide course N

38.50 a Dr 6 s s s N

40.00 set temp. q. sec. post

60.02 a Branch 6 ft. wide course N 40° E

80.00 intersect N. S. line at post

Level good Plough land, Oak, Beech, Hickory,  
& Poplar

West blazed between Sec. 9 & 16

40.00 set q. sec. post at aver. dist. from which

a W. Oak 30 in. dia. bears N 17° E 40 ft. dist. &

a Beech 10 s s S 11° W 27 s s

80.00 to sec. cor.

East on Random between Sec. 10 & 15

16.00 a Branch 12 ft. wide course N 40° E

40.00 set temp. q. sec. post

*S. 3 N., R. 6 E. S. Mer. Ind.<sup>a</sup>*

49.50 a Branch 12 lbs. wide course N  
 80.00 Intersect. N & S. line 65 lbs. N. of port -  
 Level, Oak, Beech, Hickory & Poplar

West Connected between Sec. 10 & 15

40.00 set q. sec. port at aver. dist. from which  
 a R. Oak 10 in. diameter S 63° E 10 Mr. dist. &  
 a Hickory 8 " " " N 67° W 19 " "  
 80.00 to sec. cor.

East on Random between Sec. 11 & 14

27.80 a Branch 75 lbs. wide course N  
 40.00 set temp. q. sec. port  
 80.00 Intersect. N & S. line 250 lbs. N. of port -  
 Level part wet, Beech, Hickory, Oak & Poplar

West Connected between Sec. 11 & 14

40.00 set q. sec. port at aver. dist. from which  
 a R. Oak 10 in. diameter S 67° W 16 Mr. dist. &  
 a Do 12 " " " N 72° E 45 " "  
 80.00 to sec. cor.

East on Random between Sec. 12 & 13

40.00 set temp. q. sec. port  
 73.25 a Branch 45 lbs. wide course N  
 81.00 Intersect. E. Boundary 200 lbs. N. of port -  
 Low ridges, Beech, Oak, Poplar & Hickory

West Connected between Sec. 12 & 13

40.50 set q. sec. port at aver. dist. from which  
 a Beech 14 in. diameter N 69° W 26 Mr. dist. &  
 a Do 8 " " " N 64° E 4 " "  
 81.00 to sec. cor. Tuesday November 4. 1806

T. 3 N., R. 6 E. D. M. Mar. Ind.<sup>a</sup>

North between Sect. 11 & 12

14.88 a Beech 20 in. dia.

40.00 set q. sec. post from which

a Beech 21 in. dia bears N 56° E 11 m. dist. 8

a Do 16 " " S 70° W 11 " "

43.02 a Poplar 36 " "

45.00 wet land to the post

80.00 set post cor. of sect. 1, 2, 11 & 12 from which

a S. Oak 33 in. dia bears N 10° E 34 m. dist. 8

an Elm 16 " " N 68° W 27 " "

Level, Beech & Poplar to the Swamp - then  
Maple, Elm, Gum & Brush

North between Sect. 10 & 11

20.00 a W. Oak 36 in. dia.

40.00 set q. sec. post from which

a Beech 8 in. dia bears N 33° W 19 m. dist. 8

a Do 12 " " S 19° E 19 " "

80.00 set post cor. of sect. 2, 3, 10 & 11 from which

a Beech 13 in. dia bears S 35° E 16 m. dist. 8

a W. Oak 10 " " N 82° W 27 " "

Level, Beech, Oak, Poplar & Gum, Ash & Maple

North between Sect. 9 & 10

32.00 wet Bottom to the mile post

40.00 set q. sec. post from which

a W. Oak 36 in. dia bears N 41° W 15 m. dist. 8

a Maple 7 " " S 39° E 6 " "

80.00 set post cor. of sect. 3, 4, 9 & 10 from which

a Gum 12 in. dia bears N 45° E 28 m. dist. 8

a Beech 21 " " S 29° E 26 " "

Low ridges to the Bottom, Beech, Oak, Poplar,  
Maple, Elm, Gum & Ash

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

North between Sec. 8 & 9

- 7.00 a Hickory 18 in. dia.  
 22.50 Bottom to the port  
 40.00 set q.s.e. post from which  
     a Maple 12 in. dia. bears N 35° E 40 m. dist. 8  
     a Dr 14 s s s 9319722 s s  
 47.08 an Ash 20 s s  
 80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
     a Maple 12 in. dia. bears N 29° E 22 m. dist. 8  
     an Ash 8 s s s 943 E 30 s s  
     Low ridges to the bottom, Beech, Oak, Poplar,  
     Hickory, Maple, Elm & Gum

North between Sec. 7 & 8

- 10.00 a Gum 30 in. dia.  
 40.00 set q.s.e. post from which  
     a Maple 10 in. dia. bears 934 E 16 m. dist. 8  
     a Hickory 23 s s s N 67° W 19 s s  
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which  
     a Beech 13 in. dia. bears N 45° W 23 m. dist. 8  
     a R. Oak 20 s s s N 33 E 26 s s  
     Level, generally wet & brushy, Beech, Gum,  
     Maple, Hickory & Oak

West between Sec. 6 & 7

- 32.00 a W. Oak 30 in. dia.  
 40.00 set q.s.e. post from which  
     an Ash 10 in. dia. bears N 41° W 20 m. dist. 8  
     a Dr 10 s s s N 10° W 21 s s  
 55.70 a Beech 30 s s at the edge of the wet land  
 71.50 Intersect W. Boundary 525 m. N. of post —  
     set post at intersection cor. of sec. 6 & 7 from which  
     a Beech 10 in. dia. bears N 37½ E 24 m. dist. 8

T. 3 N., R. 6 E. D. T. Mer. Ind.<sup>a</sup>

a Beech 10 in. dia. bears S 67° E 13 Ms. dist.

The first 55 lbs. wet, Maple, Elm, Gum & Hickory - then Beech, Oak & Poplar

---

North between Sec. 5 & 6

24.12 a Y. Oak 46 in. dia.

40.00 lot q. sec. post from which

a R. Oak 16 in. dia. bears N 66° E 13 Ms. dist. 8

a Poplar 14 s s s N 63° W 13 s s

54.00 a Beech 22 s s

67.12 The bank of Muscackettuck 300 ft. wide covers NW

74.25 Intersect N. Boundary 621 Ms. W. off post -

set post at intersection on off sec. 5 & 6 from which

an Elm 14 in. dia. bears S 50° W 15 Ms. dist. 8

a Beech 30 s s s S 72° E 44 s s

Bottom, Beech, Poplar, Oak, Elm, Gum

---

East on Random between Sec. 5 & 8

40.00 lot temp. q. sec. post

80.00 Intersect N. S. line at post -

Level wet, Maple, Gum, Oak & Hickory

---

West blazed between Sec. 5 & 8

40.00 lot q. sec. post at over. dist. from which

a Gum 10 in. dia. bears N 55° E 2 Ms. dist. 8

a S. Oak 12 s s s S 81° W 19 s s

80.00 to sec. con. Wednesday, November 5. 1806

---

East on Random between Sec. 4 & 9

40.00 lot temp. q. sec. post

80.00 Intersect N. S. line at post -

Wet Bottom, Gum, Oak, Maple, Elm & Ash

---

T. 3 N., R. 6 E. I. Mer. Ind.

West blazed between Sec. 4 & 9  
40.00 set q.s.e. post at aver. dist. from which  
a Maple - 16 in. dia. bears N43°E 13 ft. - dist. 8  
a gum 20 " " " N18°11" " "  
80.00 to sec. cor.

East on Random between Sec. 3 & 10  
40.00 set temp. q.s.e. post  
80.76 intersect N. S. line 240 ft. N. of post -  
Lev., Beech, Oak, Hickory, Maple, Elm & Gum

West Carried between Sec. 3 & 10  
40.38 set q.s.e. post at aver. dist. from which  
a Maple 16 in. dia. bears N38°E 15 ft. - dist. 8  
a gum 14 " " " N70°E 17 " "  
80.76 to sec. cor.

East on Random between Sec. 2 & 11  
15.75 a Branch 80 ft. wide comm N70°E  
25.00 Swamp to the mile post  
40.00 set temp. q.s.e. post  
80.00 intersect N. S. line 220 ft. N. of post -  
Lev., Maple, Elm, Gum, Beech & Poplar

West Carried between Sec. 2 & 11  
40.00 set q.s.e. post at aver. dist. from which  
a gum 10 in. dia. bears N46°W 18 ft. - dist. 8  
a Maple 12 " " " N41°E 30 " "  
80.00 to sec. cor.

East on Random between Sec. 1 & 12  
40.00 set temp. q.s.e. post  
80.76 intersect E. Boundary 260 ft. N. of post -

T. 3 N., R. 6 E. S. Mer. Ind.<sup>a</sup>

Low wet brushy Bottom, Maple, Elm,  
Hickory & Gum

West corrected between Sec. 1d & 2

40.38 set of sec. post at aver. dist. from which  
a S. Oak 12 in. dia. bears N 42° E 24 Ms. dist. 18  
a W. Beech 9 " " " N 82° E 10 " "  
80.70 to sec. cor.

North between Sec. 1d & 2

3.12 a Gum 18 in. dia.  
15.00 a Branch 6 Ms. wide course NW  
40.00 set of sec. post from which  
a Beech 22 in. dia. bears N 24° W 24 Ms. dist. 18  
a Do 12 " " " S 25° E 12 " "  
44.00 an Ash 16 " "  
77.50 Intersed N. Boundary 200 Ms. fr. of post -  
set post at intersection cor. of Sec. 1d & from which  
a Beech 14 in. dia. bears S 63° E 11 Ms. dist. 18  
a Do 13 " " " S 34° W 24 " "  
General, part wet Bottom, Maple, Gum, Ash,  
Beech, Poplar, Hickory & Oak

North between Sec. 2d & 3

7.50 a W. Oak 30 in. dia.  
22.00 a Branch 100 Ms. wide course N 60° W  
35.00 a Do 100 " " " W  
40.00 set of sec. post from which  
a Gum 20 in. dia. bears N - E 30 Ms. dist. 18  
a S. Oak 16 " " " N 74° E 37 " "  
50.00 a Do 20 " "  
74.62 Intersed N. Boundary 350 Ms. fr. of post -  
set post at intersection cor. of Sec. 2d & 3 from which

T. 3 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Beech 13 in. dia. bears S 30 E 38 Ms. dist. 8

a Dr 20 s s s S 49 W 41 s s

Low wet Bottom, Beech, Oak, Ash, Maple,  
Gum, Elm & Hickory

North between Sec. 3 & 4

19.00 a Beech 20 in. dia.

40.00 sit post from which

a S. Oak 14 in. dia. bears N 13 W 18 Ms. dist. 8

a R. Oak 22 s s s S 28 W 26 s s

49.00 a Branch 100 Ms. wide course N 10 W

57.72 a Hickory 22 in. dia.

75.00 Intersect N. S. line 490 Ms. off post -

sit post at intersection cr. of Sec. 3 & 4 from which

a Beech 16 in. dia. bears S 72 W 17 Ms. dist. 8

a Dr 20 s s s N 86 E 21 s s

Low wet Bottom, Beech, Oak, Ash, Maple,  
Elm, Hickory & Gum

North between Sec. 4 & 5

5.19 an Elm 30 in. dia.

24.00 Muskrat track 200 Ms. wide course NW

30.00 same course S 40 E

Offset West 8.00 Ms. North 17.50 Ms.

East 8.00 to the true line

South 3.00 to the Creek

79.00 Intersect N. Boundary 500 Ms. off post -

sit post at intersection cr. of sec. 4 & 5 from which

a Beech - in. dia. bears N 44 W 6 Ms. dist. 8

a W. Oak 20 s s s S 35 E 23 s s

Part Bottom, Beech, Oak, Hickory & Poplar  
Completed this Township Thursday November

6. 1806 Jacob Fowler, Dep. Surveyor

I certify that the foregoing transcript of  
Field Notes of the survey of Township N.<sup>o</sup> 3 North,  
in Range N.<sup>o</sup> 6 East of the S<sup>o</sup> Principal Meridi-  
an, in the State of Indiana, has been compared  
with the original on file in this office, and found  
to be correct.

Surveyor General's Office, C. P. Reamer  
Cincinnati, March 22, 1842) C. P. Reamer  
Sur. Genl.